



Electrolux

Hand held Mixers Bermixer PRO Turbo Combi 750 W with Stainless Steel Tube (653mm) & Reinforced Whisk

ITEM # _____
MODEL # _____
NAME # _____
SIS # _____
AIA # _____



600383 (BPW7565)

Portable mixer, variable speed up to 10000 rpm, with stainless steel tube 653 mm and whisk - 750W

Short Form Specification

Item No.

Handheld mixer with stainless steel tube, reinforced whisk and space saving storing wall support. To be used directly in stew pots, even during cooking. Bayonet system ensures easy removal of accessories without tools. Parts in contact with food - tube, blade, shaft - completely dismountable without tools for easy cleaning. Bell knife design ensures antisplash system and minimum handling during working operations. Flat motor base with ergonomic handle for a convenient grip. Electronic speed variator with speed regulation regardless of the load. Electronic speed adjustment by pulse on + and - buttons. Maximum speed: 10000rpm. Safety feature requires both hands to start the machine. Design for heavy duty usage: double fan system to cool down the motor. Visible and waterproof (IP55) control panel to control speed levels and overload warning light. Shaft locking device avoids release during operation.

Main Features

- Delivered with:
 - flat base motor
 - stainless steel whisk and tube
 - space saving storing wall support
 - reinforced whisk
- Parts in contact with food - tube, blade, shaft - can be completely dismantled without tools for easy cleaning.
- Designed to be used directly in stew pots up to 290 lt.
- Anti-splash bell knife design.
- Tube, knife and whisks are dishwasher safe.
- Safety feature requires both hands to start the mixer (no volt release system).
- Light weight, ergonomic grip and adjustable speeds make preparation tasks fast and easy.
- Overheating warning red indicator.
- Bayonet system makes fast and simple to exchange tools.
- Productivity suitable for 50 to 300 meals per service.

Construction

- Power: 750 watts.
- Maximum speed 10000 rpm.
- Motor has an air cooling system and is protected against overheating (in case of long intensive work).
- Smart speed control to ensure the right power according to the work load.
- Water protected motor unit (controls are IP55, IP34 throughout machine).

Included Accessories

- 1 of 653 mm stainless steel tube for Bermixer (for 650W, 750W) PNC 650135
- 1 of Reinforced whisk for portable mixer PNC 653578

Optional Accessories

- 353 mm stainless steel tube for portal mixer bermixer ☐ PNC 650132
- 453 mm stainless steel tube for portal mixer bermixer ☐ PNC 650133
- 553 mm stainless steel tube for Bermixer (for 450W, 550W, 650W, 750W) ☐ PNC 650134
- 653 mm stainless steel tube for Bermixer (for 650W, 750W) ☐ PNC 650135
- Adjustable rail for containers diam. 375 mm to 650 mm (to be used with 653294) ☐ PNC 653292
- Holder to support portable mixer in containers (can be used only with tube attachment) ☐ PNC 653294

APPROVAL: _____



Electrolux

Bermixer PRO Turbo Combi 750 W with Stainless Steel Tube (653mm) & Reinforced Whisk

Hand held Mixers




Electrolux

**Hand held Mixers
Bermixer PRO Turbo Combi 750 W with
Stainless Steel Tube (653mm) & Reinforced
Whisk**


- Reinforced whisk for portable mixer

PNC 653578
□

Front




Side



EI = Electrical inlet (power)

Top



Electric

Supply voltage:

600383 (BPW7565)

220-240 V/1N ph/50/60 Hz

Electrical power max.:

0.75 kW

Total Watts:

0.75 kW

Capacity:

Capacity (up to):

290 litres

Key Information:

External dimensions, Width: 138 mm

External dimensions, Height: 965 mm

External dimensions, Depth: 120 mm

Shipping weight: 5 kg

Tube length: 65 cm